



QPI - 6025 Di

NEW

- ❖ 600TV Lines
- ❖ DNR
- ❖ DWDR, DPC
- ❖ 25m IR (30 LEDs)

600TV Line 3-Axis IR Dome Camera



SPECIFICATIONS

MODEL	QPI-6025Di
Image Sensor	1/3" SONY Super HAD CCD II
Total Pixels	795(H) x 596(V)
Scanning system, Sync. System	2:1 Interlace ,Internal
Scanning Frequency	15.625KHz(H), 50Hz(V)
Resolution	Max 600 TV lines in color (650TV lines in B/W)
Min. illumination	Color : 0.3 lux , BW : 0.1 lux
Video Output	1.0 Vp-p (75 ohm, composite)
S/N Ratio	more than 50dB (AGC off)
Power Source	DC12V±10%,
Power Consumption	160mA / 550mA(IR ON)
Power Input, Video Output	Connector , Connector
Operating Temperature	-10° ~ +50°
Operating Humidity	0 ~ 96% (non-condensing)

FEATURES

- 1/3" Sony Super HAD II CCDI
- 600TV Lines High Resolution
- DNR (Digital Noise reduction)
- DWDR (Digital Wide Dynamic Range)
- DPC (Dead Pixel Compensation)
- 3.6mm Fixed Lens
- IR Intelligence (Unique feature)
- 25m IR Distance (30IR LEDs)
- DC12V operation
- Plastic Indoor IR Dome Camera


IR INTELLIGENCE



Auto adjusts IR intensity based on the object proximity, for clear face identification

DIMENSIONS

Unit : mm



CONNECTIONS

