

HC-DS27M

High Resolution Dome Camera with OSD



Main Features

- o 1/3" Sony Super HAD II CCD
- o 540 TVL High Resolution Camera
- o 0.01 lux @ F1.2
- o 3.6 mm Lens
- o AGC, AWB and BLC
- o OSD, Mirror, Privacy Masking, Motion Detection, DWDR, 2D-DNR, LSC



| Feature | Specification |
|-------------------------|---|
| Image Sensor | 1/3" Sony Super HAD II CCD |
| Pixels | PAL: 795H×596V NTSC:811H×508V |
| Resolution | 540 TVL |
| Min. Illumination | 0.01 lux |
| S/N Ratio | More than 50 dB |
| Electronic Shutter | 1/60-1/100,000sec |
| Flickerless Mode | Electrical |
| Iris Control | Manual |
| Lens | 3.6 mm |
| Gamma Correction | 0.45 |
| White Balance (AWB) | Auto |
| Gain Control (AGC) | Auto |
| Back Light Compensation | Auto |
| Sync | Internal Sync |
| Video Output | 1.0Vp-P75Ωbn |
| Special Functions | OSD, Mirror, Privacy Masking, Motion Detection, DWDR, 2D-DNR, LSC |
| Power Supply | DC12V |
| Power Consumption | DC12V,150mA |
| Weight | 150 gms |
| Operating Temperature | -10~ +50° RH95% Max |