


# CP- UVP-2013L10

1 MP 720P HDCVI IR PTZ Camera

CP PLUS  
**CORAL**



## Main Features

- 1/3" CMOS Image sensor
- Powerful 20x Optical and 16x Digital zoom
- DWDR, Day/Night(ICR), Ultra DNR
- Up to 255 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 240°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr.
- Built-in 2/1 alarm in/out, IP66
- Mobile Software: CMOB
- CMS Software: IPSS



# CP- UVP-2013L10

## 1 MP 720P HDCVI IR PTZ Camera

### Feature

Image Sensor  
 Effective Pixels  
 Video Output  
 S/N Ratio  
 Minimum Illumination  
 Focal Length  
 Focus Control  
 White Balance  
 Close Focus Distance  
 Angle of View  
 Electronic Shutter  
 AGC control  
 Back Light Compensation  
 Optical Zoom  
 Digital Zoom  
 Pan Travel  
 Tilt Travel  
 Presets  
 Preset Speed  
 Privacy Masking  
 Special Features  
 Power up Action  
 Time Task  
 Idle Motion  
 Day/Night: IR Cut Filter  
 Video Compression  
 Video Streaming  
 Audio Compression  
 Audio Streaming  
 Protocols

### Specification

1/3" CMOS  
 1280(H) x 960(V)  
 1 channel BNC HDCVI high definition video output  
 More than 50dB  
 Color: 0.05Lux@F1.4, B/W: 0.005Lux@F1.4, 0Lux (IR on)  
 4.7mm~94mm  
 Auto / Manual  
 Auto, ATW, Indoor, Outdoor, Manual  
 100mm~ 1000mm  
 H: 54.1° ~ 3.2°  
 1/1 ~ 1/30,000s  
 Auto / Manual  
 BLC / HLC / DWDR  
 20x  
 16x  
 360° endless, Pan Speed: 0.1° ~ 160°/sec  
 -15° ~ 90°, Tilt Speed: 0.1° ~120°/sec  
 255  
 Pan: 240° /s; Tilt: 200° /s  
 Up to 24 areas  
 IR Range upto 100m, Up to 255 Presets, 8 Tour, 5 Pattern, 5 Auto scan  
 Auto restore to previous PTZ and lens status after power failure  
 Auto activation of Prese/Pan/Scan/Tour/Pattern by preset-time  
 Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period  
 Auto(ICR) / Color / B/W  
 H.264 / MJPEG  
 25/30fps@720P  
 G.711a / G.711u(32kbps)/ PCM(128kbps)  
 1 channel In  
 IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPoE, DDNS, FTP, IP Filter, QoS, Bonjour, ONVIF Profile S



# CP- UVP-2013L10

## 1 MP 720P HDCVI IR PTZ Camera

### Feature

Alarm  
Max Remote Users  
Operating Temperature  
Smart Phone  
Memory Slot  
Weather Proof Standard  
Dimension  
Weight  
Power Source  
Power Consumption

### Specification

2/1 channel In/Out  
20 users  
-40°C ~ 60°C / Less than 90% RH  
iPhone, iPad, Android, Windows Phone  
Micro SD, Max 64GB  
IP66  
Φ204.7(mm) x 335.9(mm)  
7.5kg  
AC 24V/2.2A(±10%)  
10.5W, 26W (IR on, Heater on)