



Active System Integration

CP-QAC-VY55MVBL3

550 TVL High Resolution Camera

www.asi.ind.in



Technical Specification

Image Sensor	1/3" Sony Super HAD II CCD
Pixels	PAL:752(H)×582(V), NTSC:768(H)×494(V)
Resolution	550 TVL
Min. Illumination	0.01 lux
S/N Ratio	more than 50dB
Electronic Shutter	1/60-1/100,000sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	2.8-12 mm Lens
Gamma Correction	0.45

Features

- 1/3" SONY Super HAD II
- 550 TVL High Resolution Camera
- lux Min. Illumination
- 2.8-12 mm Lens
- IR Range of 30Mtr. with 30 IR LEDs
- AGC, AWB and BLC
- CE, FCC and RoHS Certified



Active System Integration

www.asi.ind.in

Technical Specification

White Balance (AWB)	Auto
Gain Control (AGC)	Auto
Back Light Compensation	Auto
IR	IR Range of 30Mtr. with 30 IR LEDs
Video Output	1.0 Vp-p/75 ohm
Special Functions	OSD
Power Supply	DC12V
Power Consumption	DC12V,250mA
Dimensions	Φ145mm x 108mm(H)
Weight	400g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHs