



Active System Integration

CP-QAC-DY65M

650 TVL High Resolution Camera

www.asi.ind.in



Features

- 1/3" Sony Super HAD II
- 650 TVL High Resolution Camera
- 0.01 Lux Min.Illumination
- 3.6 mm Lens
- OSD, AGC, AWB and BLC
- CE, FCC, UL and RoHS Certified

Technical Specification

Model No	CP-QAC-DY65M
Image Sensor	1 / 3" SONY Super HAD II
Pixels	PAL: 752 (H) ×582 (V) ; NTSC: 768 (H) ×494 (V)
Resolution	650 TVL
Min.Illumination	0.01 Lux
S/N Ratio	More than 50 dB
Electronic Shutter	1/50(160)-1/100000 Sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	3.6 mm
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto



Active System Integration

www.asi.ind.in

Technical Specification

Back Light Compensation	Auto
Video Output	1.0 Vp-p/75 ohm
Special Functions	OSD
Power Supply	DC 12V
Power Consumption	DC 12V, 150 mA
Dimensions	Φ122.3mm x 120mm(H)
Weight	200g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHS