



Active System Integration

CP-QAC-DY65MVFL2

650 TVL High Resolution Camera

www.asi.ind.in



Technical Specification

Model No	CP-QAC-DY65MVFL2
Image Sensor	1 / 3" SONY Super HAD II
Pixels	PAL: 752 (H) ×582 (V) ; NTSC: 768 (H) ×494 (V)
Resolution	650 TVL
Min.Illumination	0.01 Lux
S/N Ratio	More than 50 dB
Electronic Shutter	1/60-1/100,000 Sec
Flickerless Mode	Electrical
Iris Control	Manual
Lens	4-9 mm Lens
Gamma Correction	0.45
White Balance (AWB)	Auto
Gain Control (AGC)	Auto

Features

- 1/3" Sony Super HAD II
- 650 TVL High Resolution Camera
- 0.01 Lux Min.Illumination
- 4-9 mm Lens
- IR Range of 20Mtr. with 22 IR LEDs
- OSD, AGC, AWB and BLC
- CE, FCC, UL and RoHS Certified



Active System Integration

www.asi.ind.in

Technical Specification

Back Light Compensation	Auto
IR	IR Range of 20 Mtr. With 22 IR LEDs
Video Output	1.0 Vp-p/75 ohm
Special Functions	OSD
Power Supply	DC 12V
Power Consumption	DC 12V, 250 mA
Dimensions	Φ126 mm x 95mm(H)
Weight	300g
Operating Temperature	-10~ +50°C RH95% Max
Certifications	CE, FCC, RoHS