



Active System Integration

## CP-EAC-VY70MVFL3W-E

High Resolution of 700 TVL

www.asi.ind.in



### Features

- 1/3" Sony Super HAD II
- 700 TVL High Resolution Camera
- 0 lux @ F1.2 (IR ON)
- 4~9 mm Vari-Focal Auto Iris Lens
- IR Range of 30 Mtrs with 30 LEDs
- AGC, AES, BLC, HLC, Mirror, Privacy Masking and Motion Detection
- Sens Up, WDR, 2D-DNR, 3D-DNR, LSC, DIS and Eclipse
- CE, FCC and RoHS Certified

### Technical Specification

Image Sensor	1/3" Sony Super HAD II
Pixels	PAL:752Hx582V, NTSC:768Hx494V
Resolution	700 TVL
Min. Illumination	0 lux @F1.2
S/N Ratio	more than 48dB
Electronic Shutter	1/50(1/60) - 1/100000 Sec
Flickerless Mode	ON/OFF
Lens	4~9mm Vari-focal Auto Iris Lens
Gamma Correction	0.45
White Balance (AWB)	ON/OFF Selectable
Gain Control (AGC)	ON/OFF Selectable



Active System Integration

www.asi.ind.in

## Technical Specification

Back Light Compensation	ON/OFF Selectable
High Light Compensation	Yes
IR	30 LEDs, Upto 30 Mtrs
WDR	Yes
Sync	Internal/External Line Lock
Video Output	1.0 Vp-p/75 ohm
Special Functions	OSD, Camera ID, Camera Title, Mirror, Privacy Masking=7, Motion Detection=4, Sens-Up(Low Shutter)=x256, 2D-DNR, 3D-DNR, LSC, DIS, ECLIPSE
Power Supply	DC12V±5%
Power Consumption	< 4W
Dimensions	100mmx150mm
Weight	900g
Operating Temperature	-10~50 °C
Certifications	CE, FCC,RoHs